


Gulf of Mexico Harmful Algal Bloom Bulletin

Region: Texas Monday, 09 May 2016 NOAA National Ocean Service NOAA Satellite and Information Service NOAA National Weather Service

Last bulletin: Monday, May 2, 2016



Satellite chlorophyll image with possible *K. brevis* HAB areas shown by red polygon(s), when applicable. Points represent cell concentration sampling data from April 29 to May 5: red (high), orange (medium), yellow (low b), brown (low a), blue (very low b), purple (very low a), pink (present), and green (not present). Cell count data are provided by Texas Parks and Wildlife Department. For a list of sample providers and a key to the cell concentration categories, please see the HAB-OFS bulletin guide:

http://tidesandcurrents.noaa.gov/hab/hab_publication/habfs_bulletin_guide.pdf

Detailed sample information can be obtained through the Texas Parks and Wildlife Department at: http://www.tpwd.state.tx.us./landwater/water/environconcerns/hab/redtide/status.phtml

Conditions Report

Karenia brevis (commonly known as Texas red tide) ranges from not present to background concentrations along the coast of Texas. No respiratory irritation is expected Monday, May 9 through Monday, May 16.

Check http://tidesandcurrents.noaa.gov/hab/beach_conditions.html for recent, local observations.

Analysis

Due to technical difficulties, the most recent MODIS imagery could not be displayed; however, the analysis references the most recent available imagery. We apologize for any inconvenience and the issue will be resolved by the next scheduled bulletin on May 16.


Data from Texas A&M University's Imaging FlowCytobot, located on the Port Aransas ship channel, is currently unavailable. However, previous sampling indicates that *Karenia brevis* concentrations range from 'not present' to 'background' (TAMU; 4/20-27). For information on area shellfish restrictions, contact the Texas Department of State Health Services.

In recent MODIS Aqua imagery (5/4, shown left), elevated to very high chlorophyll (2 to >20 μ g/L) is visible along- and offshore the Texas coast from East Matagorda Bay to the Rio Grande.

Forecast models based on predicted near-surface currents indicate negligible northerly transport north from the Port Aransas region from May 8-12.

Davis, Keeney

To see previous bulletins and forecasts for other Harmful Algal Bloom Bulletin regions, visit the NOAA Harmful Algal Bloom Operational Forecast System bulletin archive: http://tidesandcurrents.noaa.gov/hab/bulletins.html




Wind speed and direction are averaged over 12 hours from buoy measurements. Length of line indicates speed; angle indicates direction. Red indicates that the wind direction favors upwelling near the coast. Values to the left of the dotted vertical line are measured values; values to the right are forecasts. Wind observation and forecast data provided by NOAA's National Weather Service (NWS).

-2-

Wind Analysis

Port Aransas to Matagorda Ship Channel: South to southeast winds (10-25kn, 5-13m/s) today through Thursday. East winds (5-10kn, 3-5m/s) Thursday night and Friday, becoming southeast winds (5-10kn) Friday night.



Verified and suspected HAB areas shown in red. Other areas of high chlorophyll concentration shown in yellow (see p. 1 analysis for interpretation).